

# O-RING

S E S

Dimension table - JIS B2401 ( S type )



JIS B2401 SIZE NO.	STANDARD SIZE		GROOVE SIZE	
	MILLIMETERS		I.D.	O.D.
	I.D.	W	I.D.	O.D.
S-003	2.5	1.5	3	5
S-004	3.5	1.5	4	6
S-005	4.5	1.5	5	7
S-006	5.5	1.5	6	8
S-007	6.5	1.5	7	9
S-008	7.5	1.5	8	10
S-009	8.5	1.5	9	11
S-010	9.5	1.5	10	12
S-011.2	10.7	1.5	11.2	13.2
S-012	11.5	1.5	12	14
S-012.5	12	1.5	12.5	15
S-014	13.5	1.5	14	16
S-015	14.5	1.5	15	17
S-016	15.5	1.5	16	18
S-018	17.5	1.5	18	20
S-020	19.5	1.5	20	22
S-022	21.5	1.5	22	24
S-22.4	21.9	2.0	22.4	25
S-024	23.5	2.0	24	27
S-025	24.5	2.0	25	28
S-26	25.5	2.0	26	29
S-028	27.5	2.0	28	31
S-029	28.5	2.0	29	32
S-030	29.5	2.0	30	33
S-031.5	31	2.0	31.5	34.5
S-32	31.5	2.0	32	35
S-034	33.5	2.0	34	37
S-035	34.5	2.0	35	38
S-035.5	35	2.0	35.5	38.5
S-036	35.5	2.0	36	39
S-038	37.5	2.0	38	41
S-039	38.5	2.0	39	42
S-040	39.5	2.0	40	43

JIS B2401 SIZE NO.	STANDARD SIZE		GROOVE SIZE	
	MILLIMETERS		I.D.	O.D.
	I.D.	W	I.D.	O.D.
S-042	41.5	2.0	42	45
S-044	43.5	2.0	44	47
S-045	44.5	2.0	45	48
S-046	45.5	2.0	46	49
S-048	47.5	2.0	48	51
S-050	49.5	2.0	50	53
S-053	52.5	2.0	53	56
S-055	54.5	2.0	55	58
S-056	55.5	2.0	56	59
S-060	59.5	2.0	60	63
S-063	62.5	2.0	63	66
S-065	64.5	2.0	65	68
S-067	66.5	2.0	67	70
S-070	69.5	2.0	70	73
S-071	70.5	2.0	71	74
S-075	74.5	2.0	75	78
S-080	79.5	2.0	80	83
S-085	84.5	2.0	85	88
S-090	89.5	2.0	90	93
S-095	94.5	2.0	95	98
S-100	99.5	2.0	100	103
S-105	104.5	2.0	105	108
S-110	109.5	2.0	110	113
S-112	111.5	2.0	112	115
S-115	114.5	2.0	115	118
S-120	119.5	2.0	120	123
S-125	124.5	2.0	125	128
S-130	129.5	2.0	130	133
S-132	131.5	2.0	132	135
S-135	134.5	2.0	135	138
S-140	139.5	2.0	140	143
S-145	144.5	2.0	145	148
S-150	149.5	2.0	150	153

O-RING